

## References

---

- Anderson, E. H. and D. Kern, "Nanofabrication of zone plates for X-ray microscopy," *Spring Series in Optical Sciences, Vol. 67, X-Ray Microscopy III*, A. Michette, G. Morrison, and C. Buckley, Eds., Springer-Verlag, Berlin, 1992, pp. 75-8.
- Attwood, D., G. Sommargren, R. Beguiristain, *et al.*, "Undulator radiation for at-wavelength interferometry of optics for extreme-ultraviolet lithography," *Applied Optics*, **32** (34), 7022-31 (1993).
- Babinet, A., *Compt. Rend.*, **4**, 638ff (1837).
- Bathia, A. B. and E. Wolf, "The Zernike circle polynomials occurring in diffraction theory," *Proc. Phys. Soc.*, **B65**, 909-10 (1952).
- Bathia, A. B. and E. Wolf, "On the circle polynomials of Zernike and related orthogonal tests," *Proc. Cambr. Phil. Soc.*, **50**, 40-48 (1954).
- Beguiristain, R. *et al.*, "Characterization of thermal distortion effects on beamline optics for EUV interferometry and soft x-ray microscopy," *Rev. Sci. Instrumen.*, **67** (9), 1-9 (1996).
- Bevington, P. R., *Data Reduction and Error Analysis for the Physical Sciences*, McGraw-Hill, New York, 1969.
- Bjorkholm, J. E., A. A. MacDowell, O. R. Wood II, *et al.*, "Phase-measuring interferometry using extreme ultraviolet radiation," *Journal of Vacuum Science & Technology B*, **13** (6), 2919-22 (1995).
- Bone, D. J., H.-A. Bachor, and R. J. Sandeman, "Fringe-pattern analysis using a 2-D Fourier transform," *Applied Optics*, **25** (10), 1653-60 (1986).
- Born, M. and E. Wolf, *Principles of Optics*, 6th ed., Pergamon Press, New York, 1980.
- Brophy, C. P., "Effect of intensity error correlation on the computed phase of phase-shifting interferometry," *J. Opt. Soc. Am. A*, **7**, 537ff (1990).
- Bruning, J. H., D. R. Herriott, J. E. Gallagher, *et al.*, "Digital wavefront measuring interferometer for testing optical surfaces and lenses," *Applied Optics*, **13**, 2693ff (1974).
- Carpio, M. and D. Malacara, "Closed cartesian representation of the Zernike polynomials," *Optical Communications*, **110**, 514-16 (1994).
- Carre, P., "Installation et utilisation du comparateur photoelectrique et interferential du bureau international des poids et mesures," *Metrologia*, **2**, 13ff (1966).
- Cerjan, C., "Scalar wave diffraction from a circular aperture," in *OSA Proceedings on Extreme Ultraviolet Lithography, Vol. 23*, F. Zernike and D. T. Attwood, Eds., Optical Society of America, Washington, D.C., 1994.
- Charette, P. G. and I. W. Hunter, "Robust phase-unwrapping method for phase images with high noise content," *Applied Optics*, **35** (19), 3506-13 (1996).
- Clarke, R. H. and J. Brown, *Diffraction Theory and Antennas*, John Wiley & Sons, New York, 1980.

- Conte, S. D. and C. de Boor, *Elementary Numerical Analysis: An Algorithmic Approach*, 3rd ed., International Series in Pure and Applied Mathematics, McGraw-Hill, New York, 1980.
- Crane, R., "Interference phase measurement," *Applied Optics*, **8**, 538ff (1969).
- Creath, K., "Comparison of phase-measurement algorithms," *Proc. SPIE*, **680**, 19-28 (1986).
- Crennell, K., "Introductory digital image processing," in *Interferogram Analysis: Digital Fringe Pattern Measurement Techniques*, D. W. Robinson and G. T. Reid, Eds., Institute of Physics Publishing, Bristol and Philadelphia, 1993, 1-22
- de Groot, P. J., "Derivation of algorithms for phase-shifting interferometry using the concept of a data-sampling window," *Applied Optics*, **34** (22), 4723-30 (1995).
- Fischer, D. J., J. T. O'Bryan, *et al.*, "Vector formulation for interferogram surface fitting," *Applied Optics*, **32** (25), 4738-43 (1993).
- Foucault, L. M., "Description des procedees employes pour reconnaître la configuration des surfaces optiques," *C. R. Acad. Sci. (Paris)*, **47**, 958ff (1858).
- Foucault, L. M., "Memoire sur la construction des telescopcs em verre argente," *Ann. Obs. Imp. Paris*, **5**, 197ff (1859).
- Frieden, B. R., "Some statistical properties of the median window," *Proc. SPIE*, **373**, 219-24 (1981).
- Goldberg, K. A., R. Beguiristain, J. Bokor, *et al.*, "Point diffraction interferometry at EUV wavelengths," in *OSA Proceedings on Extreme Ultraviolet Lithography*, Vol. 23, F. Zernike and D. T. Attwood, Eds., Optical Society of America, Washington, D.C., 1994, pp. 134-41.
- Goldberg, K. A., R. Beguiristain, J. Bokor, H. Medecki, *et al.*, "At-wavelength testing of optics for EUV," *Proc. SPIE*, **2437**, 347-54, (1995a).
- Goldberg, K. A., R. Beguiristain, and J. Bokor, *et al.*, "Progress towards  $\lambda/20$  extreme ultraviolet interferometry," *Journal of Vacuum Science & Technology B*, **13** (6), 2923-27 (1995b).
- Goldberg, K. A., E. Tejnil, and J. Bokor, "A 3-D numerical study of pinhole diffraction to predict the accuracy of EUV point diffraction interferometry," in *OSA Trends in Optics and Photonics*, Vol. 4, G. D. Kubiak and D. R. Kania, Eds., Optical Society of America, Washington, D.C., 1996, pp. 133-37.
- Goldberg, K. A., E. Tejnil, S. H. Lee, *et al.*, "Characterization of an EUV Schwarzschild objective using phase-shifting point diffraction interferometry," *Proc. SPIE*, **3048**, 264-70 (1997).
- Goodman, J. W., *Introduction to Fourier Optics*, reissued ed., McGraw-Hill, New York, 1988.
- Greivenkamp, J. E., "Generalized data reduction for heterodyne interferometry," *Opt. Eng.*, **23**, 350ff (1984).
- Greivenkamp, J. E., "Sub-Nyquist interferometry," *Appl. Opt.*, **26**, 5245ff (1987).
- Greivenkamp, J. E. and J. H. Bruning, "Phase-shifting interferometry," in *Optical Shop Testing*, 2nd ed., D. Malacara, Ed., John Wiley & Sons, Inc., New York, 1992, pp. 501-98.
- Han, G.-S. and S.-W. Kim, "Numerical correction of reference phases in phase-shifting interferometry by iterative least-squares fitting," *Applied Optics*, **33** (31), 7321-25 (1994).
- Hariharan, P., B. F. Oreb, and T. Eiju, "Digital phase-shifting interferometry: A simple error-compensating phase calculation algorithm," *Applied Optics*, **26**, 2504ff (1987).
- Hayes, J. B., "Compact Micromotion Translator," U.S. Patent 4,884,003 (1989).
- Hecht, E., *Optics*, 2nd ed., Addison-Wesley Publishing Company, Reading, MA, 1987.

- Henke, B. L., E. M. Gullikson, and J. C. Davis, "X-ray interactions: Photoabsorption, scattering, transmission, and reflection at  $E = 50\text{-}30,000$  eV,  $Z = 1\text{-}92$ ," *Atomic Data and Nuclear Data Tables*, **54** (2), 181-342 (1993).
- Himel, M. D., "Optic fabrication and metrology for soft x-ray projection lithography," in *OSA Proceedings on Soft X-Ray Projection Lithography, Vol. 18*, A. M. Hawryluk and R. H. Stulen, Eds., Optical Society of America, Washington, D.C., 1993, pp. 108-9.
- Huntley, J. M., "Noise-immune phase-wrapping algorithm," *Applied Optics*, **28** (15), 3268-71 (1989).
- Kania, D. R., D. P. Gaines, D. S. Sweeney, G. E. Sommargren, *et al.*, "Precision optical aspheres for extreme ultraviolet lithography," *Journal of Vacuum Science & Technology B*, **14** (6), 3706-8 (1996).
- Koliopoulos, C. L., "Interferometric optical phase measurement," Ph.D. Dissertation, Univ. Arizona, Tucson, 1981.
- Kreis, T. M., "Digital holographic interference-phase measurement using the Fourier-transform method," *J. Opt. Soc. Am. A*, **3** (6), 847-55 (1986).
- Kreis, T. M. and W. P. O. Juptner, "Fourier-transform evaluation of interference patterns: The role of filtering in the spatial frequency domain," *Proc. SPIE*, **1162**, 116-25 (1989).
- Kubiak, G. D., Tichenor, D. A., Ray-Chaudhuri, A. K., *et al.*, "Characterization of an expanded-field Schwarzschild objective for extreme ultraviolet lithography," *Journal of Vacuum Science & Technology B*, **12** (6), 3820-25 (1994).
- Linnik, W. P., "A simple interferometer for the investigation of optical systems," *Proceedings of the Academy of Sciences of the USSR*, **1**, 208 (1933).
- Macy, W. W., Jr., "Two-dimensional fringe-pattern analysis," *Applied Optics*, **22** (23), 3898-901 (1983).
- Mahajan, V. N., "Zernicke annular polynomials and optical aberrations of systems with annular pupils," *Optics and Photonics News*, **5** (11), Suppl. (1994).
- Malacara, D., Ed., *Optical Shop Testing*, 2nd ed., John Wiley & Sons, Inc., New York, 1992.
- Malacara, D. and S. L. DeVore, "Interferogram evaluation and wavefront fitting," in *Optical Shop Testing*, 2nd ed., D. Malacara, Ed., John Wiley & Sons, Inc., New York, 1992, pp. 455-99.
- Medecki, H., E. Tejnil, K. A. Goldberg, J. Bokor, "Phase-shifting point diffraction interferometer," *Optics Letters*, **21** (19), 1526-28 (1996).
- Melozzi, M. and L. Pezzati, "Interferometric testing of annular apertures," *Proc. SPIE*, **1781**, 241-48 (1992).
- Mrowka, S., W. Harris, and R. J. Speer, "Short wavelength interferometric testing of x-ray optics," *Proc. SPIE*, **316**, 16-20 (1981).
- Nugent, K. A., "Interferogram analysis using an accurate fully automatic algorithm," *Applied Optics*, **24** (18), 3101-5 (1985).
- Nyquist, H. *AIEE Transactions*, **47**, 617-44 (1928).
- Quiroga, J. A. and E. Bernabeu, "Phase-unwrapping algorithm for noisy phase-map processing," *Applied Optics*, **33** (29), 6725ff (1994).
- Ray-Chaudhuri, A. K., W. Ng, *et al.*, "Soft X-ray Foucault test: a path to diffraction-limited imaging," *Nuclear Instruments & Methods in Physics Research, A*, **347** (1-3), 364-71 (1994).

- Ray-Chaudhuri, A. K., W. Ng, F. Cerrina, *et al.*, "Alignment of a multilayer-coated imaging system using extreme ultraviolet Foucault and Ronchi interferometric testing," *Journal of Vacuum Science & Technology B*, **13** (6), 3089-93 (1995a).
- Ray-Chaudhuri, A. K., R. P. Nissen, K. D. Krenz, *et al.*, "Development of compact extreme ultraviolet interferometry for on-line testing of lithography cameras," *Proc. SPIE*, **2536**, 99-104 (1995b).
- Ray-Chaudhuri, A. K., K. D. Krenz, R. P. Nissen, *et al.*, "Development of extreme ultraviolet interferometry for laser plasma source operation." in *OSA Trends in Optics and Photonics, Vol. 4, Extreme Ultraviolet Lithography*, G. D. Kubiak and D. R. Kania, Eds., Optical Society of America, Washington, D.C., 1996a, pp. 128-32.
- Ray-Chaudhuri, A. K., K. D. Krenz, R. P. Nissen, *et al.*, "Initial results from an extreme ultraviolet interferometer operating with a compact laser plasma source," *Journal of Vacuum Science & Technology B*, **14** (6), 3964-8 (1996b).
- Robinson, D. W., "Phase-unwrapping methods," in *Interferogram Analysis: Digital Fringe Pattern Measurement Techniques*, D. W. Robinson and G. T. Reid, Eds., Institute of Physics Publishing, Bristol and Philadelphia, 1993, 194-229.
- Roddier, C. and F. Roddier, "Interferogram analysis using Fourier transform techniques," *Applied Optics*, **26** (9), 1686-73 (1987).
- Ronchi, V., *Ann. Sci. Norm. Super. Pisa*, **15** (1923).
- Ronchi, V., "Forty years of history of a grating interferometer," *Applied Optics*, **3**, 437ff (1964).
- Schmit, J. and K. Creath, "Spatial and temporal phase-measurement techniques: A comparison of major error sources in one-dimension," *Proc. SPIE*, **1755**, 202-11 (1992).
- Smartt, R. N. and W. H. Steel, "Theory and application of point-diffraction interferometers (telescope testing)," *Japan. J. of Appl. Phys.* **14** (Suppl. **14-1**), 351 (1975).
- Sommargren, G. E., "Phase shifting diffraction interferometry for measuring extreme ultraviolet optics," in *OSA Trends in Optics and Photonics, Vol. 4, Extreme Ultraviolet Lithography*, G. D. Kubiak and D. R. Kania, Eds., Optical Society of America, Washington, D.C., 1996a, pp. 108-12.
- Sommargren, G. E., "Diffraction methods raise interferometer accuracy," *Laser Focus World*, **32** (8), 61-71 (1996b).
- Sommargren, G. E. and R. Hostetler, in *OSA Proceedings on Soft X-Ray Projection Lithography, Vol. 18*, A.M. Hawryluk and R. H. Stulen, Eds., Optical Society of America, Washington, D.C., 1993, pp. 100-104.
- Soobitsky, J. A., "Piezoelectric Micromotion Actuator," U.S. Patent 4,577,131 (1986).
- Spallas, J. P., R. E. Hostetler, G. E. Sommargren, and D. R. Kania, "Fabrication of extreme-ultraviolet point-diffraction interferometer aperture arrays," *Applied Optics*, **34** (28), 6393-98 (1995).
- Speer, R. J., M. Chrisp, D. Turner, *et al.*, "Grazing incidence interferometry: The use of the Linnik interferometer for testing image-forming reflection systems," *Applied Optics*, **18** (12), 2003-12 (1979).
- Stearns, D. G., R. S. Rosen, and S. P. Vernon, "Multilayer mirror technology for soft-x-ray projection lithography," *Applied Optics*, **32** (34), 6952-60 (1993).
- Stephenson, P., D. R. Burton, and M. J. Lalor, "Data validation techniques in a tiled phase unwrapping algorithm," *Optical Engineering*, **33** (11), 3703-8 (1994).
- Sussman, M., "Elementary diffraction theory of zone plates," *Am. J. Phys.*, **28**, 394ff (1960).

- Takeda, M., H. Ina, and S. Kobayashi, "Fourier-transform method of fringe-pattern analysis for computer-based topography and interferometry," *J. Opt. Soc. Am.*, **72** (1), 156-60 (1981).
- Tejnil, E. "Characterization of extreme ultraviolet imaging systems," Ph.D. Dissertation, Univ. California, Berkeley, 1997.
- Tejnil, E., K. A. Goldberg, H. Medecki, *et al.*, "Phase-shifting point diffraction interferometry for at-wavelength testing of lithographic optics," in *OSA Trends in Optics and Photonics, Vol. 4, Extreme Ultraviolet Lithography*, G. D. Kubiak and D. R. Kania, Eds., Optical Society of America, Washington, DC, 1996a, pp. 118-23.
- Tejnil, E., K. A. Goldberg, E. H. Anderson, and J. Bokor, "Zonal placement errors in zone plate lenses" in *OSA Trends in Optics and Photonics, Vol. 4, Extreme Ultraviolet Lithography*, G. D. Kubiak and D. R. Kania, Eds., Optical Society of America, Washington, D.C., 1996b, pp. 138-42.
- Tejnil, E., K. A. Goldberg, S. H. Lee, H. Medecki, *et al.*, "At-wavelength interferometry for EUV lithography," *Journal of Vacuum Science & Technology B*, to be published (1997).
- Tichenor, D. A., *et al.*, "Development and characterization of a 10x Schwarzschild system for SXPL," in *OSA Proceedings on Soft X-Ray Projection Lithography, Vol. 18*, A. M. Hawryluk and R. H. Stulen, Eds., Optical Society of America, Washington, D.C., 1993, pp. 79-82.
- Tichenor, D. A., A. K. Ray-Chaudhuri, G. D. Kubiak, *et al.*, "10x reduction imaging at 13.4 nm," *OSA Proceedings on Extreme Ultraviolet Lithography, Vol. 23*, F. Zernike and D. T. Attwood, Eds., Optical Society of America, Washington, D.C., 1994, pp. 89-97.
- Tichenor, D.A., Kubiak, G.D., Malinowski, M.E., *et al.*, "Development of a laboratory extreme-ultraviolet lithography tool," *Proc. SPIE*, **2194**, 95-105 (1994).
- Wang, J. Y. and D. E. Silva, "Wave-front interpretation with Zernike polynomials," *Applied Optics*, **19** (9), 1510-18 (1980).
- Williamson, D. M., "The elusive diffraction limit," in *OSA Proceedings on Extreme Ultraviolet Lithography, Vol. 23*, F. Zernike and D. T. Attwood, Eds., Optical Society of America, Washington, D.C., 1994, pp. 68-76.
- Wong, A. K. and A. R. Neureuther, "Rigorous three-dimensional time-domain finite-difference electromagnetic simulation for photolithographic applications," *IEEE Transactions on Semiconductor Manufacturing*, **8**, 419-31 (1995).
- Wood, O. R., II, *et al.*, *Journal of Vacuum Science & Technology B*, to be published (1997).
- Wyant, J. C., "Use of an ac heterodyne lateral shear interferometer with real-time wavefront corrections systems," *Applied Optics*, **14**, 2622ff (1975).
- Wyant, J. C. and R. N. Shagam, "Use of electronic phase measurement techniques in optical testing," *Proc. ICO, Vol. 11, Madrid*, 659ff (1978).
- Yatagai, T., "Intensity based analysis methods," in *Interferogram Analysis: Digital Fringe Pattern Measurement Techniques*, D. W. Robinson and G. T. Reid, Eds., Institute of Physics Publishing, Bristol and Philadelphia, 1993, 72-93.
- Zernike, F., "Begunstheorie des Schneidenver-Fahrens und Seiner Verbesserten Form. der Phasekontrastmethode," *Physica*, **1**, 689ff (1934).
- Zernike, F. and B. R. A. Nijboer, contribution to *La Théorie des Images Optiques*, Revue d'Optique, Paris, 1949, p. 227ff.

## ADDITIONAL REFERENCES

- Attwood, D., "Challenges for utilization of the new synchrotron facilities," *Nuclear Instruments and Methods in Physics Research*, **A291**, 1-7 (1990).
- Bone, D. J., "Fourier fringe analysis: The two-dimensional phase unwrapping problem," *Applied Optics*, **30** (25), 3627-32 (1991).
- Fields, C. H., W. G. Oldham, A. K. Ray-Chaudhuri, *et al.*, "Initial experiments on direct aerial image measurements in the extreme ultraviolet," in *OSA Trends in Optics and Photonics, Vol. 4, Extreme Ultraviolet Lithography*, G. D. Kubiak and D. R. Kania, Eds., Optical Society of America, Washington, D.C., 1996, pp. 124-27.
- Fields, C. H., W. G. Oldham, A. K. Ray-Chaudhuri, *et al.*, "Direct aerial image measurements to evaluate the performance of an extreme ultraviolet projection lithography system," *Journal of Vacuum Science & Technology B*, **14** (6), 4000-3 (1996).
- Guse, F. and J. Kross, "A new approach for quantitative interferogram analysis," *Proc. SPIE*, **1781**, 258-65 (1992).
- Kujawinska, M. and J. Wojciak, "High accuracy Fourier transform fringe pattern analysis," *Optics and Lasers in Engineering*, **14**, 325-39 (1991).
- Malacara, D., "A review of interferogram analysis methods," *Proc. SPIE*, **1332**, 678-89 (1990).
- Mastin, G. A. and D. C. Ghiglia, "Digital extraction of interference fringe contours," *Applied Optics*, **24** (12), 1727-28 (1985).
- Morimoto, Y. and M. Fujisawa, "Fringe pattern analysis by a phase-shifting method using Fourier transform," *Optical Engineering*, **33** (11), 3709-14 (1994).
- Nguyen, K. B., G. F. Cardinale, D. A. Tichenor, *et al.*, "Fabrication of MOS devices with extreme ultraviolet lithography," in *OSA Trends in Optics and Photonics, Vol. 4, Extreme Ultraviolet Lithography*, G. D. Kubiak and D. R. Kania, Eds., Optical Society of America, Washington, D.C., 1996, pp. 208-11.
- Nguyen, K. B., G. F. Cardinale, D. A. Tichenor, *et al.*, "Fabrication of metal-oxide-semiconductor devices with extreme ultraviolet lithography," *Journal of Vacuum Science & Technology B*, **14** (6), 4188-92 (1996).
- Smith, H. I., S. D. Hector, M. L. Schatenburg, and E. H. Anderson, "A new approach to high fidelity e-beam and ion-beam lithography based on an in situ global-fiducial grid," *Journal of Vacuum Science & Technology B*, **9**, (6):2992-5 (1991).
- Tichenor, D. A., G. D. Kubiak, S. J. Haney, *et al.*, "Recent results in the development of an integrated EUVL laboratory tool," *Proc. SPIE*, **2437**, 292-307 (1995).
- Tichenor, D. A., A. K. Ray-Chaudhuri, G. D. Kubiak, *et al.*, "Progress in the development of EUV imaging systems," in *OSA Trends in Optics and Photonics, Vol. 4, Extreme Ultraviolet Lithography*, G. D. Kubiak, and D. R. Kania, Eds., Optical Society of America, Washington, D.C., 1996, pp. 2-8.
- Towers, D. P., T. R. Judge and P. J. Bryanston-Cross, "Automatic interferogram analysis techniques applied to quasi-heterodyne holography and ESPI," *Optics and Lasers in Engineering*, **14**, 239-81 (1991).
- Wang, G., A. Sun, J. Ren, and Z. Wang, "New method of fringe pattern trace and analysis," *Proc. SPIE*, **1704**, 293-301 (1992).
- Womack, K. H., "Frequency domain description of interferogram analysis," *Optical Engineering*, **23** (4), 396-400 (1984).
- Wyant, J. C., "Interferometric testing of aspheric surfaces," *Proc. SPIE*, **816**, 19ff (1987).

- Xi, Y. and C. Ai, "Simple and effective phase unwrapping technique," *Proc. SPIE*, **2003**, 254-63 (1993).
- Yu, Q., X. Liu, and K. Andresen, "New spin filters for interferometric fringe patterns and grating patterns," *Applied Optics*, **33** (17), 3705-11 (1994).
- Zhengquan Tan, A. A. MacDowell, B. La Fontaine, *et al.*, "At-wavelength metrology of 13 nm lithography imaging optics," *Review of Scientific Instruments*, **66** (2-2), 2241-43 (1995).
- Zweig, D. A. and R. E. Hufnagel, "A Hilbert transform algorithm for fringe-pattern analysis," *Proc. SPIE*, **1333**, 295-302 (1990).